

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/753,300		12/29/2000	Tommi Ylamurto	NC30523	7856
26933	7590	12/13/2004		EXAMINER	
ROBERT	C. ROLN	IK	CORRIELUS, JEAN B		
NOKIA IN		BBW 18	ART UNIT	PAPER NUMBER	
6000 CON		DRIVE	ARTONI	PAPER NOMBER	
MD 1-4-75:	-		2637		
IRVING, TX 75039				DATE MAILED: 12/13/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		(K					
	Application No.	Applicant(s)					
	09/753,300	YLAMURTO, TOMMI					
Office Action Summary	Examiner	Art Unit					
	Jean B Corrielus	2631					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tin ly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status	A						
1) Responsive to communication(s) filed on 23	·						
·	nis action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
4)⊠ Claim(s) <u>1-7</u> is/are pending in the application.	•						
4a) Of the above claim(s) is/are withdra							
5)⊠ Claim(s) <u>1-7</u> is/are allowed.							
6) Claim(s) is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/o	or election requirement.						
Application Papers							
9)⊠ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>25 March 2004</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Ex	aminer.						
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority document							
3. Copies of the certified copies of the prio application from the International But a See the attached detailed Office action for a list.	reau (PCT Rule 17.2(a)).	-					
* See the attached detailed Office action for a list of the certified copies not received. 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
_a)	ovisional application has been rec	eived.					
15) Acknowledgment is made of a claim for domest Attachment(s)	ic priority under 35 U.S.C. §§ 120	and/or 121.					
Notice of References Cited (PTO-892) O	5) Notice of Informal F	(PTO-413) Paper No(s) Patent Application (PTO-152)					
		•					

Art Unit: 2637

Quayle Action

1. Claims 4 and 7 are objected to because of the following informalities:

Claim 4, line 3, "sampling" should be replaced by —squaring--; "sampled" should be replaced by —squared--; line 4, "sampled" should be replaced by —squared--; "square" should be replaced by —squared--. So as to be consistent with specification page 3, lines 79-85 and drawing fig. 2.The same comment applies to claim 7.

- 2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 351, recited in the description page 6, line 176. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 201, 291 and 281. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or

Application/Control Number: 09/753,300 Page 3

Art Unit: 2637

amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. This application is in condition for allowance except for the above formal matters.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

5. Claims 1-7 are allowed. However, claims 4 and 7 should be amended to overcome the objection sets forth above.

Reasons for allowance

6. The following is a statement of reasons for the indication of allowable subject matter: a method and apparatus for providing data symbol having first and

Application/Control Number: 09/753,300

Art Unit: 2637

Page 4

second quadrature, and first and second inphase compensated data symbol are disclosed. The closest prior art, Burgin, US Patent No. 6,298,096, discloses similar method and apparatus. However, as noted by applicant in the communications filed on 8/23/04, page 5, lines 2-4, Burgin does not teach or fairly suggest first and second quadrature compensating the same data symbol. Such limitation as recited in the base claims are neither anticipated nor rendered obvious by Burgin.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Maxi-Flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-3086. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jean B Corrielus
Primary Examiner
Art Unit 2637